APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

NEVAL	DA HERELOFORE A.	T KOT KIM (15D
Date of filing in State Engineer's	Office	MAY 31 2000
Returned to applicant for correcti	on	
Corrected application filed		
Map filed		ПЛ. 10 1998 under 64071
•	*****	e de la companya de l
	. and Simmie D. Travis n, Manner of Use and l	s, hereby makes application for permission Place of Use water heretofore appropriated cation #31187 June 22, 1983
1. The source of water is an und	erground source	
2. The amount of water to be cha	nged 0.34 C.F.S., 57.8 a	acre-feet per annum
3. The water to be used for Dom	estic and Quasi-Munic	ipal
4. The water heretofore permitted	d for Irrigation	
R28E, MDB&M, from a point	t that bears S 80°27'57	ocated in the SE ¹ / ₄ NW ¹ / ₄ Sec. 24, T19N, 7"E a distance of 1395.10 feet to the SE Certificate #64071 and #64072)
6. The existing permitted point MDB&M, or at a point from distance of 727.48 feet (see atta	which the SE corner	within SE½ SE½ Sec. 6, T19N, R27E, r of said Sec. 6 bears S 62°34'51"E, a 97)
7. Proposed place of use The NV	V¼ and the SW¼ NE¼	of Sec. 24, T19N, R28E, MDB&M.
8. Existing place of use 14.45 ac	res in the SE¼ SE¼ of	Sec 6, T19N, R27E, MDB&M.
9. Use will be from January 1 to	December 31 of each	year.
10. Use was permitted from Jan	uary 1 to December 31	of each year.
11. Description of proposed work	ks Pump and Distribu t	ion System (Existing Well)
12. Estimated cost of works \$100	0,000.00 (See Remarks)	•
13. Estimated time required to co	onstruct works 3 years	٠.
14. Estimated time required to co	omplete the application of	of water to beneficial use 5 years
15. Remarks: Cost of works t system and any required treat already been drilled.	to include well pumps ment equipment to ens	and motors, storage tank, distribution sure quasi-municipal use. The wells have
В	y Tom Gunn, Brok	er ·
	s/Tom Gunn Gunn & Assoc. R	F PO 1440
	TAILLE OF A SERV. IN	. L' I . L . L . T

Fernley, NV 89408

Compared ag/cmf ag/cmf

Protested.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of the waters of an underground source as heretofore granted under Permit 31187, Certificate 10707 is issued subject to the terms and conditions imposed in said Permit 31187 Certificate 10707 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under this permit shall be drilled in what has been described in the United States Geological Survey Water Supply Paper 2263 as the intermediate alluvial aquifer. In no instance shall the seal on this well be less than 100 feet below ground level.

The total combined duty of water under Permits 64071, 64072 and 66422 shall not exceed 84.4 acre-feet annually. (CONTINUED ON PAGE 3)

Page 3 of 3 (PERMIT TERMS CONTINUED)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.202 cubic feet per second, but not to exceed 0.202 cubic feet per second, but not to exceed 0.202 cubic feet per second, but not to exceed 0.202 cubic feet per second, but not to exceed 0.202 cubic feet per second, but not to exceed 0.202 cubic feet per second, but not

Work must be prosecuted with reasonable diligence and be completed on or before:

September 14, 2003

Proof of completion of work shall be filed on or before:

October 14, 2003

Water must be placed to beneficial use on or before: **September 14, 2004**

Proof of the application of water to beneficial use shall be filed on or before:

October 14, 2004

Map in support of proof of beneficial use shall be filed on or before: ${\bf N}/{\bf A}$

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,


State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 6th day of May, Ay,

State Engineer

Completion of work filed			The state of the s
Proof of beneficial use filed			" Marienesses.
rioor or benerician and rinda			
Cultural map filed	N/A	<u> </u>	<u> </u>
Combificato No		Teened	•



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	eMAY 31 2000			
Returned to applicant for correction_				
Corrected application filed				
Map filed	JUL 10 1998 under 64071			

to change the Point of Diversion,	Simmie D. Travis, hereby make application for permission Manner of Use and Place of Use of water heretofore 07, Book 36, Page #10707 Application #31187 June 22,			
1 The second of	******			
1. The source of water is an undergre	ound source			
2. The amount of water to be changed	0.34 C.F.S., 57.8 acre feet per annum			
3. The water to be used for Domestic and Quasi-Municipal				
4. The water heretofore permitted for Irrigation				
5. The water is to be diverted at the following point Located in the SE¼ NW¼ Sec. 24, T19N, R28E, MDB&M, from a point that bears S 80°27'57"E a Distance of 1395.10 Feet to the SE corner of the SW¼ NE¼ of said Sec. 24 (see attached) Certificates #64071 and #64072)				
6. The existing permitted point of d MDB&M, or at a point from wh distance of 727.48 feet (see attached	iversion is located within SE' SE' Sec. 6, T19N, R27E, ich the SE corner of said Sec. 6 bears S 62°34'51"E, a Certificate #10707)			
7. Proposed place of use The NW1/4 a	nd the SW4 NE% of Sec. 24, T19N, R28E, MDB&M.			
8. Existing place of use 14.45 Acres in the SE¼ SE¼ of Sec. 6, T19N, R27E, MDB&M.				
9. Use will be from January 1 to December 31 of each year.				
10. Use was permitted from January 1 to December 31 of each year.				
11. Description of proposed works Pump and Distribution System (Existing Well)				
12. Estimated cost of works \$100,000.00 (See Remarks)				
13. Estimated time required to construct works 3 years				
14. Estimated time required to complete the application of water to beneficial use 5 years				
15. Remarks: Cost of works to in system and any required treatment already been drilled.	clude well pumps and motors, storage tank, distribution equipment to ensure quasi-municipal use. The wells have			
By	Tom Gunn, Broker			
Dy	s/Tom Gunn			
	Gunn & Assoc. R.E., P.O. 1449 Fernley, NV 89408			
Compared kdg/cmf	-			
Protested				

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, manner of use, and place of use of the waters of an underground source as heretofore granted under Permit 31187, Certificate 10707, is issued subject to the terms and conditions imposed in said Permit 31187, Certificate 10707, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under this permit shall be drilled in what has been described in the United States Geological Survey Water Supply Paper 2263 as the intermediate alluvial aquifer. In no instance shall the seal on this well be less than 100 feet below ground level.

The total combined duty of water under Permits 64071, 64072, and 66422 shall not exceed 107.8 acre-feet annually.

(CONTINUED ON PAGE 3)

Page 3 of 3 (PERMIT TERMS CONTINUED)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.34 cubic feet per second, but not to exceed 57.8 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

September 14, 2003

Proof of completion of work shall be filed before:

October 14, 2003

Water must be placed to beneficial use on or before:

September 14, 2004

Proof of the application of water to beneficial use shall be filed on or before:

October 14, 2004

Map in support of proof of beneficial use shall be filed on or before:

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 26th day of September, A.D. 2002

State Engineer

Completion of work filed .

Proof of beneficial use filed _

Certificate No. _____Issued

